



CREATING EXCEPTIONAL BESPOKE FLOORS

# PLANET FLOORING

offer a range of fully bespoke finished wood flooring in an extensive range of designs; styles to suit any interior.

With endless options available, you can choose the design, dimensions, grade, texture, colour and finish - all produced to order in the UK.

Combining the finest sustainable FSC European Oak with the latest state of the art machinery, finishing products and highly skilled colour technicians, we will together create your bespoke wood floor.

## Contents

THE LAB .....	4
THE PLANET FLOORING PROCESS .....	6
DESIGNS & DIMENSIONS .....	8
GRADING .....	10
TEXTURES .....	11
TREATMENTS .....	12
FINISHES .....	13
OUR COLOUR COLLECTION .....	15
TORCHED FINISHING .....	27
WENTWORTH .....	28
TUMBLED .....	30
SAUNTON .....	32
PARKSTONE .....	34

Please note that colour representation is not entirely accurate and the images are to be used for guidance purposes only.













## THE LAB

Our state of the art Lab houses only the best machinery to achieve our colour matching service. With an extensive range of unfinished stock of European Prime and Rustic Oak and 100% Fumed Oak we are able to offer you a prompt colour matching service and final production time.

The process of sample matching takes 10 working days as we use the same extensive weighted method of application to ensure precise and consistent application of the oils, stains and textures required.



# THE PLANET FLOORING PROCESS

Our simple process allows you to create your own bespoke wood floor.

## CHOOSE YOUR...

### DESIGN

Start creating your bespoke floor by choosing your design from page 8 and 9.

### DIMENSIONS

Choose the dimensions available in your design from page 9.

### GRADE

Our range of designs are available in Prime and Rustic grades - shown on page 10 with the majority of items in stock and ready for finishing.

### FINISHES

To complete your bespoke floor choose your texture and treatment from page 11 and 12 and your colour and finish from pages 13 to 27.

We use UV cured hardwax oil as our final protective layer. Available in the following finishes;

#### **Matt**

The flattest of the finishes available, matt uv oil has a minimal sheen level.

#### **Silk**


Silk uv oil sits inbetween a matt and gloss finish with over 75% of orders completed in this option.

#### **100% Satin**

The shiniest of the three options, choose 100% satin uv oil for a glossier finish.

*Now you've chosen your options, our experienced colour technicians will create your wood floor here in the UK, so ensuring the highest British quality and prompt delivery.*





We also offer a **BESPOKE COLOUR MATCHING SERVICE** to create your perfect floor, so please feel free to provide us with a sample you would like us to match.

# DESIGNS & DIMENSIONS



HERRINGBONE



CUBE



HEXAGON

CHEVRON



MANSION WEAVE



CONTINUOUS VERSAILLES





## Planks

15/4 x 140 / 180 / 220mm x *Random Lengths* 600-2200mm

20/6 x 140 / 180 / 220 / 260 / 300mm x *Random Lengths* 1400-2400mm

## Herringbone Blocks

10/4 x 70 x 490mm

11/3 x 70 x 350mm\*

15/4 x 70 x 350mm\*

20/5 x 70 x 350mm\*

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

## Chevrons - 45 Degree Angle

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

Other dimensions are available upon request in either plank, herringbone or chevron.

\*These sizes are only available from stock in our tumbled finishes on pages 24 & 25.

Cube 200mm wide

Mansion Weave 200mm wide centre 90mm wide weave

Hexagon 200mm wide

Continuous Versailles 350 x 70mm and 140 x 140mm

Each of the above designs are available in 15/4 or 20/6mm.



# GRADING

Our prime and rustic grades are determined by the knot, sapwood and colour content.



## Prime

Prime grade has few, if any knots, and these will be of minimal size. Core or edge sapwood and filler will be negligible if any at all, and there will be a relatively small amount of colour variation in the timber itself.

## Rustic

Rustic grade allows for the mixture of natural grain and knots. Sound knots of up to 70mm and dead knots up to 35mm are perfectly acceptable. There will be colour variation, also expect minimal core and edge sapwood, plus filler. The colour of the filler is carefully selected to complement the wood rather than to match it exactly and it may vary from batch to batch.

*Grading rules may vary from country to country and manufacturer to manufacturer. Please check at the time of placing an order for a certain product/range.*

# TEXTURES

Our aged, bandsawn and torched floor textures are achieved through using both unique and conventional techniques.



Aged



Bandsawn



Torched

## Aged

Each piece of flooring is aged to achieve an authentic aged look to the edges, corners and surface of the timber.

## Bandsawn

Our bandsawn texture particularly suits retail and commercial projects. The surface has saw marks across the face at an angle of 90° from the length of the board.

## Torched

Our torched process is only available in our range of plank floors on the long edges, not the short ends and is accomplished using a specially designed machine. This process can be repeated to achieve the required result.

*Planet Flooring are able to offer you endless combinations of colours and surface treatments to create a bespoke wood floor. The options available are shown by example here and over the next couple of pages.*



# SMOKING & FUMING

Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak.



Light Smoked

Surface smoked – tones of light to medium brown.



Medium Smoked

Surface smoked – tones of medium to dark brown.



Dark Smoked

Surface smoked – tones of dark brown.



Fumed

100% Fumed - tones of deep dark brown/black.



Although we use controlled processes, the final colours are dictated by nature and not by using pigmented stains, the variation that will naturally occur is shown below in our herringbone blocks.



*Please be aware that when you buy smoked or fumed oak flooring variation in colour is to be expected.  
This is the beauty of having these floors.*

# FINISHES

The last stage of creating a bespoke floor is choosing the finish. **Matt, silk or 100% satin** uv cured oils are the options available at the end the journey.



UVM - Matt



UVS - Silk



UVS - 100% Satin

## Matt

The flattest of the finishes available, matt uv oil has a minimal sheen level.

## Silk

Silk uv oil sits inbetween a matt and gloss finish with over 75% of orders completed in this option.

## 100% Satin

The shiniest of the three options, choose 100% satin uv oil for a glossier finish.

*To help care for your new wood floor we recommend using Osmo Wash and Care for regular cleaning and Osmo Maintenance Oil to refresh the surface. We advise that you do not under any circumstance use a steam cleaner.*



Bespoke Floor





# THE PLANET FLOORING FLOORING COLLECTIONS

PLANK  
HERRINGBONE  
CHEVRON

Planet Flooring offer you the option of thickness, width and grade in your chosen finish.

Our core range of 42 finishes are a few of our favourites to whet your appetite; with endless options of textures, colours and finishes available.

Pages 16 to 26 show our core range in planks, classic herringbone and timeless chevrons. The majority of these finishes are available in the designs and dimensions shown on pages 8 and 9, excluding our torched finishes that are only available in planks shown on page 27.

This symbol notes that  colour variation will occur.

*All flooring is produced to order, delivery times to be confirmed upon order.*




PF902  
Standard White Silk

PF903  
Intense White Silk

PF910  
Matt

PF911  
Silk



PF939  
Dark Grey Silk



PF569  
Heavy Brushed Grey Matt



PF497  
Heavy Brushed Dark Smoked  
White Matt



PF904  
Intense Black Silk






PF1976  
Medium Smoked & Bespoke Oil Silk



PF1975  
Medium Smoked & Bespoke  
Oil Silk



PF512  
Woodlook Matt



PF512 Aged


PF512



PF921  
Light Smoked Silk



PF638  
Medium Smoked Silk




PF941  
Dark Smoked (48hr) Silk



PF941





PF922  
Light Smoked White Silk

PF929  
Dark Smoked (14hr) White Silk

## Aged & Tumbled

Each piece of flooring is tumbled and hand worked by our skilled craftsmen to achieve an authentic aged appearance to the edges and surface of the timber. With our colour options you have all the benefits of modern engineered processes with the looks, character and charm of a reclaimed floor.



PF925

## Bandsawn

The surface of our bandsawn floors replicate traditional cut marks across the face of the floor, creating a beautiful rough-sawn texture which is available in all design options. Ideal for flooring or wall cladding in retail or commercial projects.



PF914





**PF943**  
- *PF941 Aged*



**PF931**  
- *PF638 Aged*



**PF924**  
- *PF921 Aged*



**PF912**  
- *PF911 Aged*



**PF919**  
- *PF902 Aged*



**PF925**  
- *PF922 Aged*



**PF932**  
- *PF929 Aged*



**PF944**  
- *PF941 Bandsawn*



**PF926**  
- *PF921 Bandsawn*



**PF913**  
- *PF911 Bandsawn*



**PF919**  
- *PF902 Bandsawn*



**PF419**  
- *Bandsawn*



**PF934**  
- *PF929 Bandsawn*





PF2807  
Bespoke Stain Silk

PF2830  
Bespoke Oil Black Silk

PF2811  
Dark Smoked Woodlook Matt

PF850  
Medium Smoked Bespoke Oil Matt



PF2847  
Medium Smoked Bespoke Stain Matt






PF2475  
Dark Smoked Bespoke Oil Silk



PF2851  
Heavy Brushed Dark Smoked  
Bespoke Oil Matt



PF808  
Reactive Stain Bespoke Oil Matt






PF2807  
Silk on 100% Fumed



PF712  
Bespoke Oil on 100% Fumed Silk



### Fumed Flooring

Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak. Although we use controlled processes when smoking variation in colour will occur and the final colours are dictated by nature and not by using pigmented stains.

The main difference between the two techniques; The Smoking process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown here demonstrates that our Fumed oak penetrates the entire veneer layer.



planetflooringlondon

PF712



# TORCHED FINISHING

Artistry of the flame. A specially designed machine is used to accomplish the torched edges on our floors. This process is repeated to achieve the required result.

As with smoking and fuming the torched process reacts in different ways with the 'nature that is wood'. Wider grain and knots will not burn as fast as the wood around them, especially if that surrounding grain is closer together.

Whilst the effect will always show variation in finish, the position at which the torches are fixed in the machine is kept constant for consistency of the torching.

This process is only available in our range of plank floors on the long edges, not the short ends.



PF1586  
Torched & Light Smoked Silk



PF1587  
Torched, Tumbled & Light Smoked Silk



PF1588  
Torched, Bandsawn & Light Smoked Silk



PF1973

PF2753

PF2754

PF2752

PF1969



# Wentworth

**9 Colour Range**  
of Plank and  
Herringbone  
Character Grade  
FSC European  
Oak.

**Plank size**  
12/3 x 180mm in  
random lengths of  
600 - 2400mm.

**Herringbone size**  
12/3 x 120 x  
600mm.

All are finished in a  
Matt UV Oil.

Character grade is a  
mixture of natural grain  
and knots, with healthy  
sound knots up to  
70mm and dead knots  
up to 35mm, holes are  
firmly filled. Sapwood  
will be present, ≤20%  
of the surface area of the  
board in some cases.  
The normal natural  
colour variation is to be  
expected.



PF1970

PF1994

PF1972

PF1971



# Tumbled

**9 Colour Range** of FSC European Oak Solid Tumbled Parquet Battens in Prime & Rustic Grade.

These beautiful blocks provide an authentic aged appearance. With subtle surface damage and slightly rounded corners, each piece has its own character to provide a great alternative to reclaimed blocks.

**Batten sizes** 300 x 60 x 10mm, 280 x 70 x 10mm and 350 x 70 x 10mm  
All are finished in either Matt or Silk UV Oil.



PF2709



PF2709



PF2714



PF2713



PF2706



PF2711



PF2710



PF2705



PF2707



PF2708



PF2760

PF2755

PF2763

PF2793





PF2812



PF2757



PF2763

# Saunton

**6 Colour Range** of FSC European Oak  
in Herringbone or Chevron.

Available in both Prime and Rustic grades.

Herringbone sizes 10/4 x 90 x 500mm or 10/4 x 70 x 490mm. Chevron size 10/4 x 90 x 500mm.

All are finished in a Silk UV Oil.

Also available in 10/4mm is a *natural* selection of Plank, Herringbone and Chevron, all in a UV Oil or Lacquered finish. Please ask for details on these options.

# Parkstone

**6 Colour Range** of Textured Rustic Grade FSC Mix European Oak Planks.

---

This Collection is designed to emulate floors from a bygone era. Characterised by a distinctive surface texture and exhibiting the natural, raw beauty of European oak. Each board is textured by hand, creating a unique, old world appearance that adds character to these perfectly imperfect floors.

**Plank** size 15/4 x 180mm in random lengths of 1800 - 2200mm.

All are finished in a Matt or Silk UV Oil.



PF3114



PF3110



PF3111



PF3112



PF3113



PF3114



PF3115





[www.planetflooring.com](http://www.planetflooring.com)

401 Kingston Rd, Epsom KT19 0BT  
020 8004 1240



[planetflooringlondon](https://www.instagram.com/planetflooringlondon)